

31838
S/194/61/000/010/058/082
D239/D301

Influence of temperature...

and is determined by the specific resistivity of the starting germanium, the concentration of dope in the base near the emitter and on the temperature. The transit time for carriers depends substantially on the concentration of dope in the base near the emitter, but also on the temperature, especially for large values of dope concentration. The temperature dependence of the lifetime of minority carriers depends strongly on dope concentration: the maximum working temperature of drift transistors is higher, the greater the dope concentration in the base. Thus the critical frequency of drift transistors diminishes more strongly with increasing temperature, the less the concentration of dope in the base at the emitter. The possibility is envisaged of analytically calculating the temperature dependence of parameters by equivalent circuits for drift transistors and also a scheme for temperature compensation and temperature stabilization. 7 references. [Abstracter's note: Complete translation]

Card 2/2

ACC NR: AM5006610

Monograph

UR/

Spiridonov, Nikolay Spiridonovich; Vertogradov, Vladimir Ivanovich

Drift transistors (Dreyfovyye transistors) Moscow, Izd-vo "Sovetskoye radio," 1964. 0304 p. illus., biblio. 15,050 copies printed

TOPIC TAGS: transistor, transistorized circuit, parameter, temperature dependence, HF transistor, frequency characteristic

PURPOSE AND COVERAGE: This book systematizes the available data on drift transistors. It describes the theory, technology of manufacture, equivalent circuits, frequency characteristics, and temperature dependence of parameters of low-power drift transistors. The book is intended for engineers concerned with the development and application of transistorized circuits and with the manufacture and design of transistors, as well as for students in institutions of higher education. The authors thank I.L.Kaganov, Lenin Prize Winner, Dr. of Technical Sciences, Prof. A.V.Krasilov, Candidate of Technical Sciences, A.A.Kulikovskiy, M.M.Samokhvalov, and V.M.Val'd-Perlov for reviewing some of the theoretical problems pertaining to drift transistors and valuable suggestions. They also thank Yu.A.Kamenetskiy, Candidate of Technical Sciences, and Ya.A.Pedotov, the reviewers of the book whose comments helped to eliminate some defects in the manuscript.

UDC: 621.382.333.73

Card 1/2

ACC NR: AM5006610

TABLE OF CONTENTS [abridged]:

Foreword - - 3
List of symbols used in the book - - 6
Ch. I. Concept of nondrift and drift transistors - - 13
Ch. II. Technology for the manufacture of drift transistors - - 54
Ch. III. Drift transistor theory - - 54
Ch. IV. Drift transistor frequency characteristics - - 80
Ch. V. Equivalent circuit of a drift transistor - - 127
Ch. VI. Performance of a drift transistor under pulse conditions --163
Ch. VII. Effect of temperature on the physical parameters of drift
transistors - - 190
Ch. VIII. Effect of temperature on the equivalent circuit parameters
of a drift transistor - - 227
Appendix. Specifications for P401-P403A, P410-P411, P414-P415B, and
P416-P416B drift transistors manufactured in the Soviet
Union - - 273
Bibliography - - 299

SUB CODE: 09/ SUBM DATE: 24Aug64/ ORIG REF: 035/ OTH REF: 053

Card 2/2

Methods for investigating cut pine areas and the determination of the tar available in stumps. V. N. Verigradov. *Izokhim. Prom.* 4, No. 4, 11-16(1935).—The economics of utilizing tree stumps is discussed. A. A. B.

YEFREMOVA, O.G.; VERTOGRADOVA, I.N.

Effect of the treatment of ethyl cellulose with oxalic acid
on its thermal stability. Uch.zap. SGU 75:117-120 '62.
(MIRA 17:3)

End

649

END